

NEGARA BRUNEI DARUSSALAM

AERONAUTICAL INFORMATION

AERODROME

PRE-FLIGHT INFORMATION BULLETIN

Briefing Id

B1500001

Date/Time

15FEB21 1239

Period

16FEB21 0000 TO 16FEB21 2359

Briefing includes **BIRDTAM ASHTAM NOTAM**

Subject

Purpose

+B +BO +NB
+NBO +M +NM

Traffic

+I +IV

AERODROME

WBSB WBAK WBKK WBKL WBKS WBGB WBGJ WBGR WBGS WBKW WBMU WBGG
WMKK WMKJ WAAA WIHH WADD WARR

AIS INFORMATION

WBSB (BRUNEI INTL)

AGA	B) 2102100600 E) STOPBAR AND LEAD ON LIGHTS AT E1, E3, E4 AND E5 IS UNDER ABNORMAL OPERATIONAL STATUS. ALL ACFT TO FOLLOW ATC INSTRUCTIONS.	C) 2105102359	(B0115/21)
AGA	B) 2102100100 E) HIGH AND LOW INTENSITY APCH LGT RWY 21 ON ALTN.	C) 2103101600	(B0114/21)
AGA	B) 2102011730 D) FEB 01-05, 08-12, 15-19, 22-26 1730-2359 FEB 06-07, 13-14, 20-21, 27-28 0000-2359 E) ALL COMMERCIAL AND GA FLT INCLUDING TECH STOP TO AND FM BRUNEI ARE REQUIRED TO NOTIFY THE AIRPORT AUTHORITY AT LEAST THREE (3) HRS IN ADVANCE. DRG THESE PERIODS DO NOT NOMINATE WBSB AS ALTN AD.	C) 2102282359	(B0088/21)
OTH	B) 2101040100 E) RVR(RWY VISUAL RANGE) U/S.	C) 2111302359	(B0017/21)
NAV	B) 2102152330 D) FEB 15-16 2330-0200 E) UAV ACT WILL TAKE PLACE WI RAD 100M CENTRED ON COORD 045322N1145633E (TAMAN SOAS) F) GND G) 394FT AGL	C) 2102160200	(B0119/21)
NAV	B) 2102150600 D) FEB 15 0600 - 0900 FEB 16 - 20 0000 - 0900 E) UAV ACT WILL TAKE PLACE WI RAD 200M CENTRED ON COORDS 044636N1143603E AND 044207N1143039E F) GND G) 400FT AGL	C) 2102200900	(B0126/21)
NAV	B) 2102142300 D) FEB 14 - 17 2300 - 0400 E) UAV ACT WILL TAKE PLACE WI RAD 100M CENTRED ON COORDS 045527N1145626E (STADIUM NEGARA HASSANAL BOLKIAH, BSB) F) GND G) 395FT AGL	C) 2102170400	(B0129/21)
NAV	B) 2102142300 D) FEB 14 - 23 2300 - 0400, 0530 - 0900 E) UAV ACT WILL TAKE PLACE WI RAD 100M CENTRED ON COORDS 045323N1145629E (TAMAN HAJI SIR MUDA OMAR ALI SAIFUDDIEN, BSB) F) GND G) 395FT AGL	C) 2102230900	(B0128/21)
NAV	B) 2102010100 D) FEB 01 03 06 08 10 13 15 17 20 22 24 AND 27 0100-0300 E) UAV ACT WILL TAKE PLACE WI RAD 250M CENTRED ON COORD 050030N1150353E (RUKUN AL YAQeen CONSTRUCTION SITE,SERASA INDUSTRIAL AREA) F) GND G) 328FT AGL	C) 2102270300	(B0031/21)

WBAK ()

AGA	B) 2102040145 E) THE NAMING OF BRUNEI SHELL PETROLEUM HEADQUARTER HELIPAD SHOULD READ AS BRUNEI SHELL PETROLEUM HEAD OFFICE HELIPAD (REFER AIP SUPPLEMENT NR 14/20 DATED 14 MAY 2020)	C) PERM	(B0105/21)
AGA	B) 2101200200 D) H24 E) BSP HEAD OFFICE HELIPAD COORD 043628N1141729E CLSD DUE TO WIP.	C) 2103012359	(B0057/21)
AGA	B) 2012302250 E) BIRDS CONCENTRATION IN THE VICINITY OF THE RWY AND AD. PILOT TO EXER CTN DRG LDG AND TKOF.	C) 2106302359	(B1048/20)
AGA	B) 2011120645	C) PERM	(A0915/20)

E) KUALA BELAIT HELIPAD (043523N1141106E) LIGHTING HGT IS 34CM ABV GND LEVEL.

AGA	B) 2010230842 E) ALL HELICOPTER LANDING AT BRUNEI SHELL PETROLEUM HEAD OFFICE HELIPAD COORD 043630N1141717E AND KUALA BELAIT HELIPAD COORD 043523N1141106E SHALL BE AT PILOT DISCRETION	C) PERM	(B0815/20)
AGA	B) 2010230842 E) ALL HELICOPTER LANDING AT BRUNEI SHELL PETROLEUM HEAD OFFICE HELIPAD COORD 043630N1141717E AND KUALA BELAIT HELIPAD COORD 043523N1141106E SHALL BE AT PILOT DISCRETION	C) PERM	(A0815/20)
OTH	B) 2102140800 D) H24 E) PRESENCE OF WIRELINE CRANE ACT WITH HGT 120FT PSN AT E-38 FINAL APCH RWY23 AREA COORD 043815N1142256E. LIT AT NGT AND PILOT TO EXER CTN.	C) 2102252359	(B0122/21)
OTH	B) 2102030407 E) PRESENCE OF OFFSHORE JACK UP RIG 'MAERSK CONVINCER' AT SELANGKIR (SKWJ) WITH HGT 200FT AMSL PSN COORD 051254.0N1143715.1E. LIT AT NIGHT. PILOTS TO EXER CTN.	C) 2102282359	(B0102/21)
OTH	B) 2102030200 E) PRESENCE OF OFFSHORE BARGE (BELAIT CSS-02) WITH CRANE HGT 180FT DECK HGT 99FT AMSL PSN AT CHAMPION FIELD (CPWJ-41) COORD 051020N1144450E LIT AT NIGHT. PILOT EXER CTN.	C) 2102282359	(B0099/21)
OTH	B) 2101260545 D) H24 E) PRESENCE OF OFFSHORE DRILLING RIG, DEEP DRILLER 5 (DD5) WITH HGT 275FT AMSL PSN AT MUARA ANCHORAGE COORD 050516N1150460E .LIT AT NIGHT. PILOTS TO EXER CTN.	C) 2102282359	(B0082/21)
OTH	B) 2101212314 E) PRESENCE OF OFFSHORE BARGE 'BELAIT CSS1' WITH HGT 200FT PSN AT CHAMPION SOUTH ANCHORAGE COORD 050859N1144507E. LIT AT NIGHT. PILOT TO EXER CAUTION.	C) 2102282359	(B0070/21)
OTH	B) 2101210001 D) 24H E) PRESENCE OF LAND DRILLER ELITE12B WITH HGT 250FT AT MKS-1 (RASAU AREA) PSN 043409N1141117E. LIT AT NIGHT. PILOTS TO EXER CTN.	C) 2102282359	(B0060/21)
OTH	B) 2012302310 E) PRESENCE OF YELLOW COLOUR WEIGHT WITH DIMENSION OF ABOUT 24INCH BY 24INCH WITH WEIGHT OF 500LBS LOCATED AT THE SIDE OF ENTRANCE TWY C.	C) 2106302359	(B1047/20)
OTH	B) 2012302300 E) PRESENCE OF WHITE COLOUR MARKERS LOCATED FM THR LEFT HAND SIDE OF RWY05 DIST OF 100M, 200M, 300M, 400M AND ON LEFT HAND SIDE OF RWY23 DIST OF 100M, 200M AND 300M.	C) 2106302359	(B1046/20)
OTH	B) 2011120645 E) KUALA BELAIT HELIPAD (043523N1141106E) LIGHTING HGT IS 34CM ABV GND LEVEL.	C) PERM	(B0915/20)
OTH	B) 1409010700 E) THE REMOTE SWITCH FUNCTION FOR AD GND LIGHTING (AGL) ON FREQ 122.1MHZ IS CURRENTLY OUT OF SERVICE DUE TO INSTALLATION OF THE NEW SWITCHBOARD PANEL	C) PERM	(B0139/16)
NAV	B) 2102010000 D) FEB 01-05 08-12 15-19 AND 22-26 0000 - 0300 AND 0600 - 1000 E) UAV ACT WILL TAKE PLACE WI RAD 100M CENTRED ON COORD:- 1. 044030N1142900E (BRUNEI FERTILIZER INDUSTRIES PLANT) 2. 044226N1142858E (JETTY LOADING PLATFORM) F) GND G) 400FT AGL	C) 2102261000	(B0093/21)
NAV	B) 2102010000 D) FEB 01-05 08-11 15-19 AND 22-26	C) 2102261000	(B0092/21)

0000 - 0400 AND 0500 - 1000

E) DRONE / UAV OPS AT THYSSSENKRUPP PLANT SITE POSN 044033N1142855E AND
JETTY LOADING PLATFORM POSN 044101N1142843E OPERATING WI 100M RADIUS.
F) GND G) 400FT AGL

WBKK (KOTA KINABALU)

AGA	B) 2102080641 E) AUTOMATIC WX OBSERVING SYSTEM(AWOS) RWY 20 U/S. RMK: WIND VELOCITY,DIRECTION AND RVR INFO BY TOWER OBS ONLY.	C) 2102282359	(D0110/21)
AGA	B) 2102072000 E) TXL BAY 6-10 CLSD. AREA WILL BE MARKED AND LGTD. RMK:PILOT TO EXER CTN DRG TAX.	C) 2102281300	(D0107/21)
AGA	B) 2102271000 E) AD RFFS DOWNGRADED TO CAT 7 RMK: AD RFFS WILL BE UPGRADED TO CAT 9 UPON RECEIVING NOTIFICATION FOR CODE E ACFT OPS WI 24 HR	C) 2102282359	(D1331/20)
AGA	B) 2102182359 E) RCLL RWY 02/20 ON ALTN	C) 2102182359	(D1306/20)
OTH	B) 2102311341 E) THREE TOWER CRANE ERECTED AT 055445.9N 1160351E APRX 2400M E OF THR RWY02.CRANES HGT/315FT AMSL	C) 2103312359 EST	(D1367/20)
OTH	B) 2102311338 E) FOUR TOWER CRANES ERECTED AT 055820.86N 1160330.82E APRX 2750M FM THR RWY20,600M W OF EXTD RCL.CRANES HGT/315FT AMSL	C) 2103312359 EST	(D1366/20)
OTH	B) 2102311331 E) TWO TOWER CRANES ERECTED AT 055821.02N 1160404.25E,APRX 3100M FM THR RWY20.CRANE HGT/240FT AMSL	C) 2103312359 EST	(D1365/20)
OTH	B) 2102311328 E) CRANE ERECTED AT COORD 055748.42N 1160411.41E (URBAN TRANSFORMATION CENTER BUILDING, KARAMUNSING). CRANE HGT/300FT AMSL	C) 2103312359 EST	(D1364/20)
OTH	B) 2102311323 E) THREE TOWER CRANES ERECTED AT 055703N 1160338E (AEROPOD,TANJUNG ARU),APRX 385M E OF RCL.CRANES HGT/300FT AMSL	C) 2103312359 EST	(D1363/20)
OTH	B) 2102081105 E) CRANE ERECTED AT 055915.03N 1160442.44E GND-330FT AMSL	C) 2102282359	(D1286/20)
OTH	B) 2010010000 E) AIS NEW OFFICE WILL OPR AT THE FLW ADS: AERONAUTICAL INFORMATION SERVICES (AIS) CIVIL AVIATION AUTHORITY OF MALAYSIA AIR TRAFFIC CONTROL CENTRE, JALAN KEPAYAN, 88618 KOTA KINABALU,SABAH REF AIP GEN 3.1-1 PARA 3.1.1.4	C) PERM	(D0986/20)

WBKL (LABUAN)

AGA	B) 2101300655 E) AD OPS HR CHANGED TO 2200-0700	C) 2102281400	(D0086/21)
AGA	B) 2012300200 E) UNEVEN RWY SFC RMK: 1.RWY 32 FM THR MARKER TIL 457M 2.RWY 14 FM THR MARKER TIL 914M PILOT TO EXER CTN DRG TKOF AND LDG	C) 2103312359	(D1338/20)
AGA	B) 2012300001	C) 2103312359	(D1337/20)

E) WIP NEAR TWY B APRX 800FT FM THR RWY 32 AND 300FT RIGHT OF CL RWY 32.PILOT TO EXER CTN DRG TAX,TKOF AND LDG.

AGA B) 2012270000 C) 2103262359 (D1327/20)
E) WIP NEAR TWY A. PILOT TO EXER CTN DRG TAX

AGA B) 2011260000 C) 2102262359 EST (D1240/20)
E) TWY B CLSD.

WBKS (SANDAKAN)

AGA B) 2102140430 C) 2103152359 (D0120/21)
E) PORTION OF APN BAY 1B CLSD DUE TO CONST WORK.

AGA B) 2102120000 C) 2104211500 (D0116/21)
E) GENERAL HELIPAD CLSD DUE TO WIP.

AGA B) 2102061151 C) 2102181400 (D0104/21)
E) AD OPS HR CHANGED TO 0000-1000

AGA B) 2101210409 C) 2104211500 (D0057/21)
E) SALS RWY 08 WITHDRAWN.

AGA B) 2101210407 C) 2104211500 (D0055/21)
E) PAPI RWY 08 WITHDRAWN.

AGA B) 2101210405 C) 2104211500 (D0054/21)
E) TURNING PAD ON RWY 08 CLSD.

AGA B) 2101210403 C) 2104211500 (D0053/21)
E) REF AIP SUPP 05/2020 PARA 7.3.7 DATED 28 MAY 2020.
RWY TORA(M) TODA(M) ASDA(M) LDA(M) RESA(M)
08 1923 1923 1923 NU 90 X 90
26 1923 1923 1923 1923 90 X 90

AGA B) 2101210353 C) 2104211500 (D0052/21)
E) ACFT LDG RWY 26 SHALL MAKE 180 DEGREE TURN ON THE RWY.

CNS B) 2101210408 C) 2104211500 (D0056/21)
E) ILS/LOC RWY 08 ISKN FREQ 109.3MHZ WITHDRAWN.

OTH B) 2101210300 C) 2102210300 (D0051/21)
E) PRESENCE OF BARRIER LEFT SIDE RWY 26 APRX AT 480M FM THR RWY 26 AND 30M FM RCL

WBGB (BINTULU)

AGA B) 2102152200 C) 2102281300 (D0124/21)
E) AD OPS HR CHG TO 2300-0900

AGA B) 2101090100 C) 2103092359 (D0015/21)
E) PAPI RWY 35 U/S

WBGJ (LIMBANG)

AGA B) 2102030433 C) 2102181030 (D0099/21)
E) AD OPS HRS CHG AS FLW
MON,TUE,WED,FRI AND SAT 0000-0700
THU AND SUN 0000-0930

WBGR (MIRI)

AGA B) 2101251400 C) 2102242100 (D0058/21)
D) 1400-2100
E) RWY 02/20 CLSD

AGA	B) 2101101002 E) VDGS BAY 4 U/S	C) 2102281600	(D0016/21)
AGA	B) 2101080830 E) AD OPS HR CHANGED TO 2200-1400	C) 2103081600	(D0013/21)
AGA	B) 2011300141 E) TO ENABLE ATC TO APPLY MNM SPACING ON FNA THAT WILL ACHIEVE MAX RWY UTILISATION AND MINIMISE THE OCCURRENCE OF GO-AROUNDS. LDG ACFT SHALL EXIT THE LDG RWY WO DLA AT THE FIRST SUITABLE EXIT TWY OR AS INSTRUCTED BY ATC. ACFT LDG RWY 02 THAT IS UNABLE TO EXIT THE LDG RWY VIA AVBL EXIT TWY SHALL STOP AND REVERSE COURSE ON THE RWY ASAP. ACFT THAT NEED TO PROCEED TO THE END OF THE RWY AND REVERSE COURSE ON THE TURNING PAN SHALL INFORM ATC BFR LDG.	C) 2102282359	(D1253/20)
CNS	B) 2101010035 E) DVOR/DME VMI 112.4MHZ/CH71X U/S.	C) 2103312359	(D0001/21)
CNS	B) 2012101135 E) NEW DVOR/DME ON TEST PENDING FLT CHECK IDENT : TST DVOR FREQ : 113.6MHZ DME FREQ : 83X LAT : 041811N LONG : 1135841E RMK:PILOT ARE REFRAIN FM USING THIS FAC	C) 2102282359	(D1290/20)
OTH	B) 2012310253 D) 1500-2100 E) MOBILE CRANE OPERATING AT 042020.03N 1135937.05E - 042029.34N 1135934.17E CRANE HGT 150FT AGL (MIRI AIRPORT INTERCHANGE)	C) 2102282359	(D1345/20)

WBGS (SIBU)

AGA	B) 2102152200 E) AD OPS HRS CHG TO 2200-1000	C) 2102221400	(D0123/21)
AGA	B) 2012232200 E) ESTABLISHED NEW ACFT PRKG CONFIGURATION AND COORD BAYS AS FLW: BAY 4 - 021522.73N 1115915.78E (POWER IN POWER OUT) BAY 4A - 021522.34N 1115915.97E (PUSH IN PUSH BACK) BAY 5 - 021521.01N 1115917.81E (POWER IN POWER OUT) BAY 5A - 021520.63N 1115918.00E (PUSH IN PUSH BACK) PILOT TO FLW MARSHALLER	C) 2102242200	(D1319/20)

WBKW (TAWAU)

AGA	B) 2102030253 E) AD OPS HR CHANGED TO 0000-0900	C) 2102281400	(D0098/21)
AGA	B) 2010120259 E) CHG OF WPT RWY06 AND RWY24 COORD AS FLW : RWY06 : 041825.28N 1180641.96E RWY24 : 041911.11N 1180756.07E REF TO AIP MALAYSIA AD2-WBKW-1-9,AD2-WBKW-8-9 AND AD2-WBKW-8-13, AND THE AFFECTED PAGES ACCORDINGLY.	C) PERM	(D1085/20)

WBMU (MULU)

AGA	B) 2012252224 E) AD OPS HR CHANGE TO 0000-0800	C) 2103251030	(D1325/20)
AGA	B) 2012010000 E) CRACK SFC ARE PRESENT ALONG THE TWY ON THE RIGHT AND LEFT SIDE. RMK:1 PILOT TO EXER CTN DRG TAX IN/OUT. 2 AREA RIGHT AFT/BFR HLDG POINT OF ROUGHLY EST BTN 15M TO 35M AND NOT MARKED.	C) 2102282359	(D1251/20)
CNS	B) 2012010000	C) 2102282359	(D1252/20)

E) VOR/DME VZU/MULU 112.8MHZ CH75X U/S

WBGG (KUCHING)

AGA	B) 2102141600 D) DLY 1600-2000 E) RWY 07/25 CLSD	C) 2102202000	(D0119/21)
AGA	B) 2102111011 E) TWY EDGE LGT ON TWY E U/S.	C) 2103102359	(D0118/21)
AGA	B) 2101120110 E) AD RFFS DOWNGRADED TO CAT 7	C) 2103312200	(D0021/21)
AGA	B) 2101011000 E) ACFT UPON LDG RWY 25 AND VACATING VIA TWY A3 SHALL NOT MAKE A RIGHT TURN ONTO TWY A AND PCD TO CARGO APN EXC FOR LGT ACFT	C) 2103310224 EST	(D0003/21)
AGA	B) 2012310152 E) SFC DEPRESSION ON TWY F	C) 2102282359	(D1343/20)
CNS	B) 2011300330 E) ATS UNDER KUCHING AREA CTL (SECT 2) WITH RDO FREQ(S) 132.35 MHZ (PRI) AND 133.95 MHZ (SRY) TEMP WITHDRAWN.	C) 2102282359 EST	(D1259/20)
ATM	B) 2101120736 E) REF AIP SUP 20/2020 31 DEC 2020. WBGG RWY 25 RNAV (RNP) Z - APPENDIX B PLAN VIEW AMD ALT AT WPT GG527 TO READ AS AT OR ABV 1900' (+1900). REST NC.	C) PERM	(D0023/21)
OTH	B) 2101220823 E) CONST CRANE PSN 012736N 1102543E ERECTED 207FT AMSL. 119DEG 7650M FM THR RWY25. LIGHTED.	C) 2104222359 EST	(D0063/21)
OTH	B) 2011300246 E) CONST CRANE HGT 265FT AMSL AT COORD 013158N 1102044E(BRG 005 DEG 5.5KM FM WBGG ARP 012907N 1102042E) RMK:(1) CONST CRANE PAINTED Y AND LGTD (2) TWO BLDG HGT 240FT AMSL (72.4M AMSL) UNDER CONST.	C) 2102282359 EST	(D1255/20)

WMKK (KUALA LUMPUR/SEPANG INTL)

AGA	B) 2102161800 E) FUEL HYDRANT UNDER MAINT FOR KLIA AND KLIA2 RMK:ACFT REFUELING BT BOWSER	C) 2102162100	(A0543/21)
AGA	B) 2102161600 E) TXL U9 CLSD.	C) 2102161900	(A0532/21)
AGA	B) 2102160600 E) PORTION OF TWY Q BTN INT Q6 AND TWY U6 CLSD.	C) 2102160800	(A0531/21)
AGA	B) 2102160200 E) TWY S5 AND S9 CLSD. RMK:ACFT STAND C1,C3,C7 AND C32 NOT AVBL	C) 2102160900	(A0541/21)
AGA	B) 2102160200 E) PORTION OF TWY Q BTN INT Q5 AND TWY U5 CLSD.	C) 2102160300	(A0530/21)
AGA	B) 2102152201 E) TWY CL LGT U3 U4 U8 AND U9 IN ALTERNATE.	C) 2103161600	(A0525/21)
AGA	B) 2102152201 E) TWY EDGE LGT P Q AND INT P1 TIL P4 WITHDRAWN.	C) 2103161600	(A0526/21)
AGA	B) 2102152201 E) TWY CL LGT P WITHDRAWN.	C) 2103161600	(A0528/21)

AGA	B) 2102152201 E) TWY CL LGT FM INT Y1 TIL Y4 WITHDRAWN.	C) 2103161600	(A0527/21)
AGA	B) 2102152201 E) STOPBAR LGT INT P1 TIL P4 WITHDRAWN.	C) 2103161600	(A0529/21)
AGA	B) 2102150334 E) RWY 15/33 CL LGT U/S.	C) 2103161600	(A0537/21)
AGA	B) 2102101500 D) EV WED-SUN 1500-2200 EXC 11-14 AND 26 E) RWY 15/33 CLSD	C) 2102262200	(A0452/21)
AGA	B) 2102101500 D) WED-SUN 1500-2200 EXC 11-14 AND 25 E) RWY 15/33 CLSD	C) 2102262200	(A0457/21)
AGA	B) 2102070900 E) TWY B BTN INT B14 TIL INT N2 CLSD. RMK:INT N1 AND N2 NOT AVBL FOR ACFT TAX.	C) 2103310900	(A0460/21)
AGA	B) 2102020330 D) EV TUE 0330-0430 E) RWY 15/33 CLSD	C) 2102230430	(A0364/21)
AGA	B) 2102011600 D) EV MON AND TUE 1600-2200 E) RWY 14R/32L CLSD	C) 2102162200	(A0365/21)
AGA	B) 2102010330 D) EV MON 0330-0430 E) RWY 14R/32L CLSD	C) 2102220430	(A0363/21)
AGA	B) 2102010000 E) APCH AND RWY LIGHTINGS RWY 14L/32R, RWY 14R/32L DOWNGRADE TO CAT 1	C) 2104302200	(A0383/21)
AGA	B) 2101221407 E) ACFT STAND A4 DECOMMISSIONED. REFER AIP PART 3 AD WMKK, AD 2.20, AD 2.24, AD2-WMKK-2.5 AND AD2-WMKK-2.12	C) PERM	(A0282/21)
AGA	B) 2101190700 E) PORTION OF TWY U5 FM ACFT STAND Q2 TIL ACFT STAND P2 CLSD	C) 2104300900	(A0215/21)
AGA	B) 2101151125 E) PAPI RIGHT HAND SIDE RWY 32L U/S	C) 2103162200	(A0173/21)
AGA	B) 2101151114 E) STOPBAR LGT INT C1 TL C11 WITHDRAWN RMK:1 LEAD IN/OUT LGT INT C1 TIL C11 WITHDRAWN	C) 2102162200	(A0172/21)
CNS	B) 2102160030 E) ILS RWY 33 ON CLBR..ARR AND DEP SUBJ DLA.	C) 2102160330	(A0336/21)
CNS	B) 2102051115 E) LUMPUR ARR FREQ 124.2MHZ U/S AND CHG TO 125.05MHZ	C) 2104062359	(A0446/21)
ATM	B) 2102020317 E) REF TO AIP MALAYSIA AD2-WMKK-1-29 PARA 2.22.7 - VIS COND IS TEMPO SUSPENDED	C) 2104302359	(A0408/21)
ATM	B) 2011250154 E) IMPLEMENTATION OF RNAV (GNSS) AND RNAV (RNP) SIMUL INDEPENDENT PARL APCH AT WMKK FOR THE FLW IAP: RWY 14L RNAV (GNSS) RWY 14R RNAV Z (GNSS) RWY 14R RNAV Y (GNSS) RWY 15 RNAV (GNSS) RWY 32L RNAV Z (GNSS)	C) PERM	(A4488/20)

RWY 32L RNAV Y (GNSS)
RWY 32R RNAV (GNSS)
RWY 33 RNAV (GNSS)
RWY 33 RNAV W (RNP)
RMK:

1. PILOTS SHALL MNT WMKK CATIS (ARR) FOR THE EXP INSTR APCH.
2. OPERATORS ARE RESPONSIBLE TO OBTAIN THE GNSS RAIM PREDICTION ASSOCIATED WITH GNSS AVBL OR ITS UNAVAILABILITY. CAAM WOULD NOT BE PROVIDING THIS SER.
3. PILOTS SHOULD NOTIFY ATC OF ANY DEGRADATION OF THE RAIM DATA SIGNAL OR BEING UNABLE TO PERFORM THE RNAV APCH.

OTH B) 2102021305 C) 2104302359 (A0417/21)
E) CTL TOWER WEST (024445.7N 1014105.0E) OBSTRUCTION LGT U/S
RMK/ PILOT TO EXER CTN

OTH B) 2102010232 C) 2103310500 (A0389/21)
E) HGT RESTRICTION OVER TRANSITION WAYPOINTS (ARRIVING ACFT)
1. SALAX - FL220 OR BLW
2. PUGER - FL310 OR BLW
3. DAKUS - FL250 OR BLW (RWY 32/33 MODE)
3.1 DAKUS - FL190 OR BLW (RWY 14/15 MODE)
4. PULIP - FL250 OR BLW (RWY 32/33 MODE)
4.1 PULIP - FL190 OR BLW (RWY 14/15 MODE)
5. SAROX - FL250 OR BLW
6. GUPTA - FL230 OR BLW
HGT RESTRICTIONS STATED IN AIP MALAYSIA PAGE AD 2-WMKK-1-27 AND
AD 2-WMKK-1-28, PARA 2.22.5.5 AND 2.22.5.5.1 REMAINS UNCHANGED

WMKJ (JOHOR BAHRU/SENAI INTL)

AGA B) 2102042230 C) 2102191600 (A0436/21)
E) AD OPS HR CHANGE TO:
MON-THU 0000-1100 1500-2000
FRI-SUN 0000-1100
RMK: MON-THU 1500-2000 AVBL SUBJ TO CARGO FLT MOVEMENT

AGA B) 2011160429 C) PERM (A4343/20)
E) TWY B1 WIDTH TO READ AS 21M.
REF TO AIP MALAYSIA AD 2-WMKJ-1-3 PARA WMKJ AD 2.8 ROW 2 COLUMN 3.
AMEND THE AFFECTED PAGE ACCORDINGLY.

CNS B) 2101310938 C) 2103101330 (A0386/21)
E) RADAR SVC OPS HR 0000-0900

CNS B) 2012310716 C) 2103302359 (A4973/20)
E) NDB JR FREQ 245KHZ U/S

OTH B) 2101060000 C) 2103312359 (A0068/21)
E) CRANE ERECTED AT 013837.94N 1033953.59E (CARGO APRON) WITH THE
HEIGHT OF 50M FM GND

NAV B) 2102150000 C) 2102170900 (A0487/21)
D) 0000-0900
E) UA ACT WILL TAKE PLACE ALONG THE PLUS HIGHWAY WITH 100 METER
BUFFER ON THE LEFT AND RIGHT OF THE CENTRELINE OF PLUS HIGHWAY
FM:
013342.18N 1034143.74E (SENAI, JOHOR), TO
013408.96N 1034104.66E (SENAI, JOHOR)
(EASTERN DISPERSAL LINK, JOHOR BAHRU)
RMK: ACT SUBJ ATC.
F) SFC G) 400FT AMSL

WAAA (MAKASSAR/SULTAN HASANUDDIN)

AGA B) 2102150847 C) 2102281200 (A0358/21)
E) TWY CLSD DUE TO WIP AS FLW:
- TWY H
- TWY WP BTN TWY G AND TWY H
RMK: HVY EQPT PRESENT

AGA B) 2101260404 C) 2102282359 (A0192/21)

E) TO AVOID THE SPREAD OF COVID-19, OPERATION HOURS OF AD CHANGED TO

2000-1300

RMK: - EXC FOR MEDIVAC FLT, EMERGENCY FLT, TECH LDG, MILITARY FLT
AND
STATE FLT
- AVBL FOR ENROUTE ALTN AD

AGA B) 2012311200 C) 2103311200 (A3028/20)
E) PARKING STAND B1,B2,B3,B4,B5,B6 CLSD DUE TO WIP

NAV B) 2102111000 C) 2102171400 (A0321/21)
D) 11 15-17 1000-1400
E) MIL EXER BY C130 WILL TAKE PLACE WI 2 NM RADIUS CENTRED ON
050339.00S1193316.00E (CIRCUIT PATTERN)
UPPER TERRAIN ELEVATION 44FT
RMK : ALL TFC SUBJ ATC CLR
F) GND G) 3000FT AGL

WIIH (JAKARTA/HALIM PERDANAKUSUMA)

AGA B) 2012310600 C) 2103310559 (A3025/20)
E) RWY 06/24 LIMITED TO ACFT WITH MAX MTOW 80.000KG

CNS B) 2012280515 C) 2103282359 (A2982/20)
E) MIDDLE MARKER FREQ 75MHZ U/S

ATM B) 1711091155 C) PERM (A3967/17)
E) STANDARD DEPARTURE CHART INSTRUMENT (SID) AND
STANDARD ARRIVAL CHART INSTRUMENT (STAR) COMPLETELY WITHDRAWN
REF AIP VOL II 7TH EDITION SUBSECTION AD 2.24-7A, 2.24-7B,AND 2.24-9

WADD (BALI INTL)

AGA B) 2102151500 C) 2102172259 (A0362/21)
D) 15-16 1500-2300,17 1500-2259
E) RWY 09/27 CLSD DUE TO WIP
RMK: EXC EMERG LDG

AGA B) 2101251650 C) 2103252300 (A0172/21)
E) CONCENTRATION OF BIRDS FLYING AROUND FM SOUTH TO NORTH AND VICE
VERSA DURING SUNRISE AND SUNSET WI APCH AREA RWY 27 BOUNDED BY COORD

AS FLW:
084444.8S1151050.7E - 084444.8S1151121.4E - 084457.2S1151121.4E -

084457.2S1151050.7E - 084444.8S1151050.7E
RMK:ALL TFC OBS BFR TKOF AND LDG

OTH B) 2012280710 C) 2103280600 (A2984/20)
E) OBSTACLE ANEMOMETER AWOS MIDDLE ERECTED ELEV 46FT HGT 32.8FT PSN ON
COORD 084457.48S1151024.24E

WARR (SURABAYA/JUANDA)

AGA B) 2101301400 C) 2102282259 (A0228/21)
D) JAN 30 1400-2159, JAN 31 1400-2259, FEB 01-FEB 28 1300-2259
E) AD CLSD DUE TO WIP EXC FOR MEDIVAC HELICOPTER AND MIL FLT

AGA B) 2101181135 C) 2103201700 (A0140/21)
E) PARKING STAND A5,A6 AND A7 CLSD DUE TO WIP
RMK:TAXILANE BEHIND PARKING STAND A5, A6 AND A7 CLSD

AGA B) 2012180142 C) 2103170200 (A2901/20)
E) RWY HOLDING POSITION TWY N1 REPLACE TO TWY NP2 BTN TWY N2 AND TWY
N9 DUE TO BUMPY SURFACE
RMK : ALL TFC SUBJ ATC CLR

CNS B) 2102110740 C) PERM (A0331/21)
E) PSR COMPLETELY WITHDRAWN

REF AIP VOL II AIRAC AIP AMDT 95 DATED 08 OCT 20 SUBSECTION WARR
AD
2.19

CNS	B) 2102110730 E) OM FREQ 75 MHZ COMPLETELY WITHDRAWN REF AIP VOL II AIRAC AIP AMDT 95 DATED 08 OCT 20 SUBSECTION WARR AD 2.19	C) PERM (A0330/21)
-----	---	---

CNS	B) 2101260230 E) TO AVOID THE SPREAD OF COVID 19 SERVICE DESIGNATION : CLEARANCE DELIVERY AND SMC(COMBINE SECTOR) CALL SIGN : JUANDA GROUND FREQ : 118.9MHZ HOURS OF SERVICE : MON-FRI 2300-0559 REF AIP VOL II AIRAC AIP AMDT 95 DATED 08 OCT 20 SUBSECTION WARR AD 2.18	C) 2102262359 (A0185/21)
-----	---	---

ATM	B) 2101260318 E) TO AVOID THE SPREAD OF COVID 19 SERVICE DESIGNATION : CLEARANCE DELIVERY, SMC AND TWR (COMBINE SECTOR) CALL SIGN : JUANDA TOWER FREQ : 118.3MHZ HOURS OF SERVICE : MON-FRI 0600-2259, SAT-SUN 0000-2359 REF AIP VOL II AIRAC AIP AMDT 95 DATED 08 OCT 20 SUBSECTION WARR AD 2.18	C) 2102262359 (A0191/21)
-----	---	---

ATM	B) 2101260316 E) TO AVOID THE SPREAD OF COVID 19 SERVICE DESIGNATION : APP (SURABAYA EAST TMA, SURABAYA WEST TMA AND SURABAYA DIRECTOR (COMBINE SECTOR)) CALL SIGN : SURABAYA WEST CONTROL FREQ : 125.1MHZ REF AIP VOL II AIRAC AIP AMDT 95 DATED 08 OCT 20 SUBSECTION WARR AD 2.18	C) 2102262359 (A0189/21)
-----	--	---

END OF DOCUMENT