

NEGARA BRUNEI DARUSSALAM

AERONAUTICAL INFORMATION

AERODROME

PRE-FLIGHT INFORMATION BULLETIN

Briefing Id	B1200002	Date/Time	12JUN21 1305		
Period	13JUN21 0000 TO 13JUN21 2359				
Briefing includes BIRDTAM ASHTAM NOTAM					
Subject		Purpose	+B +BO +NB +NBO +M +NM	Traffic	+I +IV
AERODROME	WBSB WBAK WBKK WBKL WBKS WGBB WBGJ WBGR WBGW WBKW WBMU WBGG WMKK WMKJ WAAA WIHH WADD WARR				

AIS INFORMATION**WBSB (BRUNEI INTL)**

- AGA** B) 2106111600 C) 2106242100 (B0383/21)
E) WIP ON RWY 03/21, WPT,SPT,HMSF APRON AND MAIN APRON DRG NO TFC MOVT.
WIP WILL BE CLEARED DRG EMERG CASES.
- AGA** B) 2106010000 C) 2106302359 (B0363/21)
D) JUN 01-04, 07-11, 14-18, 21-25, 28-30 1730-2359
JUN 05-06, 12-13, 19-20, 26-27, 0000-2359
E) ALL COMMERCIAL AND GA FLT INCLUDING TECH STOP TO AND FM BRUNEI ARE
REQUIRED TO NOTIFY THE AIRPORT AUTHORITY AT LEAST THREE (3) HRS IN
ADVANCE. DRG THESE PERIODS DO NOT NOMINATE WBSB AS ALTN AD.
- AGA** B) 2105110600 C) 2108112359 (B0331/21)
E) STOPBAR AND LEAD ON LIGHTS AT E1, E3, E4 AND E5 IS UNDER ABNORMAL
OPERATIONAL STATUS. ALL ACFT TO FOLLOW ATC INSTRUCTIONS.
- OTH** B) 2106120001 C) 2106132359 (B0384/21)
E) MOBILE CRANE, HGT 422FT AMSL, ERECTED AT 045846N1145536E(CRANE ONE)
AND 045847N1145536E(CRANE TWO) DUE TO INSTALLATION OF WATER TANK HGT
422FT AMSL.CRANE MARKED AND LGTD AT NGT.
- OTH** B) 2105280001 C) 2106200900 (B0359/21)
D) DLY BTN 0001/0900
E) ONE TOWER CRANE HGT 122M ASL WI RAD 300M ON COORD 045545N1145644E
(STADIUM ,BERAKAS) ERECTED DUE TO WIP.THE CRANE MARKED WITH CHEQUERED
FLAG.
- OTH** B) 2101040100 C) 2111302359 (B0017/21)
E) RVR(RWY VISUAL RANGE) U/S.
- NAV** B) 2106132300 C) 2106140400 (B0282/21)
E) UAV ACT WILL TAKE PLACE WI RAD 100M CENTRED ON COORD:
1. 045320N1145634E 045317N1145635E(JALAN SULTAN OMAR ALI SAIFUDDIEN)
2. 045319N1145632E (JALAN PEMANCAH)
3. 045314N1145633E (JALAN MCARTHUR)
4. 045320N1145627E (JALAN PRETTY)
5. 045319N1145616E (TAMAN MAHKOTA JUBLI EMAS)
F) GND G) 394FT AGL
- NAV** B) 2105250100 C) 2107050900 (B0347/21)
D) DLY BTN 0100-0400 0600-0900
E) UAV ACT WILL TAKE PLACE WI RAD 1000M CENTRED ON COORD:
AREA 1-050113N1150439E
AREA 2-045938N1150519E
AREA 3-045934N1150750E
AREA 4-050116N1150850E
(PULAU MUARA BESAR)
F) GND G) 400FT AGL
- NAV** B) 2105070000 C) 2106250900 (B0305/21)
D) MAY 7 14 21 28 AND JUNE 4 11 18 25
0000-0330 0600-0900
E) UAV ACT WILL TAKE PLACE WI RAD 200M CENTRED ON COORD:
1. 050156N1150907E
2. 050047N1150900E
3. 044514N1143432E
F) GND G) 200FT AGL

WBAK ()

- AGA** B) 2106100400 C) 2112312359 (B0381/21)
E) BIRDS CONCENTRATION IN THE VICINITY OF THE RWY AND AD.
PILOT TO EXER CTN DRG LDG AND TKOF.
- AGA** B) 2106060800 C) 2106192359 (B0378/21)
E) BSP HEAD OFFICE HELIPAD POSN 043630N1141717E CLOSED DUE TO PRESENCE

OF WIRELINE CRANE WITH HGT GND-120FT. LIT AT NIGHT. PILOT TO EXER CTN.

AGA	B) 2106010000 E) KUALA BELAIT HELIPAD PSN 043523N1141106E CLSD DUE WIP.	C) 2106302359	(B0360/21)
AGA	B) 2102040145 E) THE NAMING OF BRUNEI SHELL PETROLEUM HEADQUARTER HELIPAD SHOULD READ AS BRUNEI SHELL PETROLEUM HEAD OFFICE HELIPAD (REFER AIP SUPPLEMENT NR 14/20 DATED 14 MAY 2020)	C) PERM	(B0105/21)
AGA	B) 2011120645 E) KUALA BELAIT HELIPAD (043523N1141106E) LIGHTING HGT IS 34CM ABV GND LEVEL.	C) PERM	(A0915/20)
AGA	B) 2010230842 E) ALL HELICOPTER LANDING AT BRUNEI SHELL PETROLEUM HEAD OFFICE HELIPAD COORD 043630N1141717E AND KUALA BELAIT HELIPAD COORD 043523N1141106E SHALL BE AT PILOT DISCRETION	C) PERM	(B0815/20)
AGA	B) 2010230842 E) ALL HELICOPTER LANDING AT BRUNEI SHELL PETROLEUM HEAD OFFICE HELIPAD COORD 043630N1141717E AND KUALA BELAIT HELIPAD COORD 043523N1141106E SHALL BE AT PILOT DISCRETION	C) PERM	(A0815/20)
OTH	B) 2106120001 D) H24 E) PRESENCE OF HOIST JO-3 WITH HGT 110FT AT F-17 (WELL S-395) PSN 043655N1141902E 50M SOUTH-WEST OF MILLIONTH BARRELL MONUMENT. LIT AT NIGHT. PILOTS TO EXER CAUTION.	C) 2106182359	(B0385/21)
OTH	B) 2106100350 E) PRESENCE OF WHITE COLOUR MARKERS LOCATED FM THR LEFT HAND SIDE OF RWY05 DIST OF 100M, 200M, 300M, 400M AND ON LEFT HAND SIDE OF RWY23 DIST OF 100M, 200M AND 300M.	C) 2112212359	(B0380/21)
OTH	B) 2106070000 D) H24 E) PRESENCE OF HOIST JO-3 WITH HGT 110FT AT E-16 PSN 043600N1141836E. LIT AT NIGHT. PILOT TO EXER CAUTION.	C) 2106142359	(B0379/21)
OTH	B) 2106040000 E) PRESENCE OF OFFSHORE BARGE 'BELAIT CSS-01' WITH HGT 94FT AMSL PSN AT 050960N1143912E (IRON DUKE). LIT AT NIGHT. PILOT TO EXER CAUTION.	C) 2107032359	(B0373/21)
OTH	B) 2106010004 D) H24 E) PRESENCE OF OFFSHORE BARGE 'MAERSK VIKING' AT JAGUS (JGS-01), 312 DEG 84NM FROM BIA. POSN 055254N1135206E APPROX DECK HGT 150FT AMSL. LIT AT NIGHT. PILOTS TO EXER CTN.	C) 2106302359	(B0365/21)
OTH	B) 2105032300 D) H24 E) PRESENCE OF OFFSHORE JACK UP BARGE (BLUE TITANIUM) WITH HGT 154FT AMSL AND DECK HGT 108FT AMSL PSN AT CHAMPION FIELD COORD 051240N1144443E. LIT AT NIGHT AND PILOTS TO EXER CTN.	C) 2106302359	(B0307/21)
OTH	B) 2105010225 D) H24 E) PRESENCE OF OFFSHORE JACK UP RIG 'MAERSK CONVINCER' AT BLWJ-01 WITH HGT 430FT AMSL DECK HGT 68FT AMSL PSN COORD 052039N1144518E. LIT AT NIGHT. PILOTS TO EXER CTN.	C) 2106302359	(B0297/21)
OTH	B) 2012302310 E) PRESENCE OF YELLOW COLOUR WEIGHT WITH DIMENSION OF ABOUT 24INCH BY 24INCH WITH WEIGHT OF 500LBS LOCATED AT THE SIDE OF ENTRANCE TWY C.	C) 2106302359	(B1047/20)
OTH	B) 2011120645 E) KUALA BELAIT HELIPAD (043523N1141106E) LIGHTING HGT IS 34CM ABV GND LEVEL.	C) PERM	(B0915/20)

OTH B) 1409010700 C) PERM (B0139/16)
 E) THE REMOTE SWITCH FUNCTION FOR AD GND LIGHTING (AGL) ON FREQ 122.1MHZ
 IS CURRENTLY OUT OF SERVICE DUE TO INSTALLATION OF THE NEW
 SWITCHBOARD PANEL

WBKK (KOTA KINABALU)

AGA	B) 2105181505 E) STOP BAR LGT TWY A,B,G U/S	C) 2106302359	(D0452/21)
AGA	B) 2105010034 E) RCL LGT ON ALTN	C) 2106302359	(D0393/21)
AGA	B) 2105010000 E) AUTOMATIC WX OBSERVING SYSTEM (AWOS) RWY 20 U/S. RMK/WIND VELOCITY,DIRECTION AND RVR INFO BY TOWER OBS ONLY	C) 2107312359	(D0379/21)
AGA	B) 2104230621 E) AD RFFS DOWNGRADED TO CAT 7 RMK: AD RFFS WILL BE UPGRADED TO CAT 9 UPON RECEIVING NOTIFICATION FOR CODE E ACFT OPS WI 24 HR	C) 2106222359	(D0353/21)
AGA	B) 2104031400 E) TXL BAY 5-6 AND S PORTION OF TWY J CLSD.NEW TEMPO DIV GUIDANCE LINE FM BAY 4-7. RMK: PILOT STRICTLY TO FLW THE NEW GUIDANCE LINE.CLSD AREA WILL BE MARKED AND LGTD.	C) 2107020900	(D0274/21)
AGA	B) 2103211000 E) BAY NO 5A,5B,6A,6B CLSD	C) 2106211000	(D0230/21)
CNS	B) 2104050206 E) RADAR PSR WITHDRAWN	C) 2106302359	(D0277/21)
ATM	B) 2105240621 E) IAP RWY 20 WBKK-AIP MALAYSIA PAGE AD 2-WBKK-8-24. TF ALT TO READ AS +710FT AND VA ALT TO READ AS +1000FT	C) PERM	(D0491/21)
OTH	B) 2106010932 E) TWO TOWER CRANES ERECTED AT 055821.02N 1160404.25E, APRX 3100M FM THR RWY20. CRANE HGT/240FT AMSL	C) 2108312359	(D0549/21)
OTH	B) 2106010558 E) THREE TOWER CRANES ERECTED AT 055703N 1160338E (AEROPOD, TG ARU), APRX 385M E OF RCL. CRANES HGT/300FT AMSL	C) 2108312359	(D0540/21)
OTH	B) 2106010000 E) CRANE ERECTED AT COORD 055915.03N 1160442.44E (CRANE HEIGHT 330FT AMSL) F) GND G) 330FT AMSL	C) 2108312359	(D0539/21)
OTH	B) 2106010000 E) FOUR TOWER CRANES ERECTED AT 055820.86N 1160330.82E APRX 2750M FM THR RWY20, 600M W OF EXTD RCL.CRANES HGT/315FT AMSL	C) 2108312359	(D0542/21)
OTH	B) 2106010000 E) THREE TOWER CRANES ERECTED AT 055445.9N 1160351E APRX 2400M E OF THR RWY02. CRANES HGT/315FT AMSL	C) 2108312359	(D0543/21)
OTH	B) 2106010000 E) CRANE ERECTED AT COORD 055748.42N 1160411.41E (URBAN TRANSFORMATION CENTER BUILDING, KARAMUNSING). CRANE HGT/300FT AMSL	C) 2108312359	(D0541/21)

NAV B) 2106020000 C) 2106160900 (D0485/21)
 D) 0000-0900
 E) UA ACT WILL TAKE PLACE WI:
 055707.91N 1160350.36E - 055628.45N 1160331.43E -
 055451.47N 1160319.91E - 055346.26N 1160212.43E -
 055425.88N 1160047.96E - 055734.86N 1160211.90E -
 055810.34N 1160319.67E
 (KOTA KINABALU INTERNATIONAL AIRPORT)
 RMK: ACT SUBJ ATC
 F) SFC G) 330FT AMSL

WBKL (LABUAN)

AGA B) 2106032200 C) 2106301400 (D0555/21)
 E) AD OPS HR CHANGED TO 0001-0700

AGA B) 2106010001 C) 2108312359 (D0535/21)
 E) TWY B CLSD

AGA B) 2104012359 C) 2106302359 (D0255/21)
 E) WIP NEAR TWY A.PILOT TO EXER CTN DRG TAXI.

AGA B) 2104010000 C) 2106302359 (D0258/21)
 E) UNEVEN RWY SFC
 RMK: 1.RWY 32 FM THR MARKER TIL 457M
 2.RWY 14 FM THR MARKER TIL 914M
 PILOT TO EXER CTN DRG TKOF AND LDG

AGA B) 2103310653 C) 2106302359 (D0257/21)
 E) WIP NEAR TWY B APRX 800FT FM THR RWY 32 AND 300FT RIGHT OF CL
 RWY 32.PILOT TO EXER CTN DRG TAX,TKOF AND LDG.

WBKS (SANDAKAN)

AGA B) 2106112300 C) 2106301400 (D0577/21)
 E) AD OPS HR CHG AS FLW:
 MON,TUE,WED,FRI AND SAT 0000-0900
 SUN AND THU 2300-0900
 EXCEPT ON 12 JUNE 2021 0000-0500

AGA B) 2106080000 C) 2106130900 (D0561/21)
 E) RFFS DOWNGRADE TO CAT 5.
 RMK: AD RFFS WILL BE UPGRADED TO CAT 7 UPON RECEIVING
 NOTIFICATION FOR CODE C ACFT OPS WI 24 HR

AGA B) 2105261400 C) 2108171500 (D0519/21)
 E) ACFT LDG RWY 26 SHALL MAKE 180 DEGREE TURN ON THE RWY.

AGA B) 2105261250 C) 2108171500 (D0521/21)
 E) PAPI RWY 08 WITHDRAWN.

AGA B) 2105261234 C) 2108171500 (D0517/21)
 E) GENERAL HELIPAD CLSD..

AGA B) 2105261232 C) 2108171500 (D0516/21)
 E) TURNING PAD ON RWY 08 CLSD.

AGA B) 2105261230 C) 2108171500 (D0515/21)
 E) PORTION OF APN BAY 1B CLSD DUE TO CONSTRUCTION WORK.

AGA B) 2105261225 C) 2108171500 (D0518/21)
 E) SALS RWY 08 WITHDRAWN.

AGA B) 2105261203 C) 2108171500 (D0513/21)
 E) RWY 08/26 DECLARED DISTANCE CHANGED TO:
 RWY TORA(M) TODA(M) ASDA(M) LDA(M) RESA(M)
 08 1923 1923 1923 - 90 X 90
 26 1923 1923 1923 1923 90 X 90

CNS	B) 2105261405 E) ILS/LOC RWY 08 ISKN FREQ 109.3MHZ WITHDRAWN.	C) 2108171500	(D0520/21)
ATM	B) 2104070850 E) REF TO AIP MALAYSIA PAGE AD2-WBKS-8-15, IAC RNAV(RNP)Z RWY26. AMD LINE 7 TO READ AS 7.PROC REQUIRES RNP 0.3 FM IAFS TO LASAR. REST NC.	C) PERM	(D0295/21)
OTH	B) 2105261228 E) PRESENCE OF BARRIER LEFT SIDE RWY 26 APRX AT 480M FM THR RWY 26 AND 30M FM RCL.	C) 2108171500	(D0514/21)

WBGB (BINTULU)

AGA	B) 2106080001 E) PAPI RWY 35 U/S	C) 2108312359	(D0562/21)
AGA	B) 2106012351 E) AD OPS HR CHG TO 2300-0900	C) 2106301300	(D0552/21)
ATM	B) 2104150812 E) STAR ARR RWY 17 (RNP1), AIP MALAYSIA PAGE AD2-WBGB-7-2. AMD AS FLW: 1. NOKED 3A TO READ AS NOKER 3A 2. NOKED 3A TABULAR ROW 2 COLUMN 5 TO READ AS 244 DEG (244.4 DEG). 3. NOKED 3A TABULAR ROW 5 COLUMN 7 TO READ AS R. 4. NOKED 3A TABULAR ROW 6 COLUMN 7 TO READ AS L. REST NC.	C) PERM	(D0320/21)
ATM	B) 2104150800 E) STAR ARR RWY 17 (RNP1), AIP MALAYSIA PAGE AD2-WBGB-7-2. AMD EKETO 3A TABULAR AS FLW: 1. ROW 5 COLUMN 7 TO READ AS R 2. ROW 6 COLUMN 5 TO READ AS 237 DEG (237.4 DEG) AND COLUMN 7 TO READ AS L. REST NC.	C) PERM	(D0319/21)

WBGJ (LIMBANG)

AGA	B) 2106072230 E) AD OPS HR CHG AS FLW: MON THU SAT 0000-0600 TUE WED FRI 0000-0200 SUN 0000-0430	C) 2106301030	(D0564/21)
------------	--	----------------------	------------

WBGR (MIRI)

AGA	B) 2106092200 E) AD OPS HR CHANGED TO 2200-1400	C) 2109081530	(D0570/21)
AGA	B) 2106081120 E) AD OPS HR CHANGED TO 2200-1400	C) 2109081530	(D0568/21)
AGA	B) 2105051600 E) STOPBAR LGT FOR TWY A1, A2, A3 AND F DECOMMISSIONED	C) PERM	(D0414/21)
AGA	B) 2105051600 E) RWY GUARD LGT FOR TWY A1, A2, A3 AND F COMMISSIONED	C) PERM	(D0416/21)
AGA	B) 2104290000 E) TO ENABLE ATC TO APPLY MNM SPACING ON FNA THAT WILL ACHIEVE MAX RWY UTILISATION AND MINIMISE THE OCCURRENCE OF GO-AROUNDS. LDG ACFT SHALL EXIT THE LDG RWY WO DLA AT THE FIRST SUITABLE EXIT TWY OR AS INSTRUCTED BY ATC. ACFT LDG RWY 02 THAT IS UNABLE TO EXIT THE LDG RWY VIA AVBL EXIT TWY SHALL STOP AND REVERSE COURSE ON THE RWY ASAP. ACFT THAT NEED TO PROCEED TO THE END OF THE RWY AND REVERSE COURSE ON THE TURNING PAN SHALL INFORM ATC BFR LDG.	C) 2107282359	(D0368/21)

AGA	B) 2104160358 E) REMOTE BAY R1 TO R6 CLSD.	C) 2107161600	(D0322/21)
AGA	B) 2103311130 E) VDGS BAY 4 U/S	C) 2106301600	(D0269/21)
CNS	B) 2103311133 E) DVOR/DME VMI 112.4MHZ/CH71X U/S.	C) 2106302359	(D0270/21)
ATM	B) 2104100312 E) ACFT TO EXPECT RADAR VECTOR FOR ILS APP RWY02	C) 2107082359	(D0309/21)
OTH	B) 2105291500 D) 1500-2100 E) MOBILE CRANE OPR AT 042020.03N 1135937.05E 042029.34N 1135934.17E CRANE HGT 150FT AGL (MIRI AIRPORT INTERCHANGE)	C) 2108312100	(D0528/21)

WBGS (SIBU)

AGA	B) 2106072200 E) AD OPS HR CHG TO 2200-1000	C) 2106151400	(D0558/21)
CNS	B) 2103042200 E) SIBU RADAR FREQ 122.6 MHZ AND SIBU GROUND FREQ 121.9 MHZ AND SIBU ATC SERVICE BACK TO NORMAL SERVICE.	C) PERM	(D0182/21)

WBKW (TAWAU)

AGA	B) 2104292300 E) AD OPS HR CHG TO 0000-0900	C) 2107301400	(D0370/21)
CNS	B) 2105110026 E) ILS LLZ RWY 24 FREQ 111.3KHZ U/S	C) 2108100330	(D0429/21)
ATM	B) 2106010558 E) IAP RWY 06 AND RWY 24 WBKW - AIP SUP 18/2021 REGARDING REVISED OF RNP AR APCH PROC FOR RWY 06 AND RWY 24 DATED 06 MAY 2021. APPENDIX A AND APPENDIX B AT PROFILE VIEW RDH 50FT TO READ AS RDH 54FT.	C) PERM	(D0545/21)

WBMU (MULU)

AGA	B) 2105030038 E) CRACK SFC ARE PRESENT ALONG THE TWY ON THE RIGHT AND LEFT SIDE. RMK:1 PILOT TO EXER CTN DRG TAX IN/OUT. 2 AFFECTED AREA NEAR HLDG POINT EST BTN 15M TO 35M AND NOT MARKED.	C) 2108032359	(D0394/21)
AGA	B) 2104012219 E) AD OPS HRS CHANGE TO 0000-0800	C) 2106301029	(D0273/21)
CNS	B) 2105020954 E) DVOR VZU FREQ 112.8MHZ CH75X U/S	C) 2108022359	(F0028/21)

WBGG (KUCHING)

AGA	B) 2106090650 E) TWY E EDGE LGT OUT OF SERVICE	C) 2107112359	(D0571/21)
AGA	B) 2106011000 E) CARGO APRON BAY C11 AND C11B CLSD.	C) 2107010900	(D0538/21)
AGA	B) 2104300425	C) 2106300900	(D0387/21)

E) AD RFFS DOWNGRADED TO CAT 7

CNS B) 2105140604 C) 2108152359 EST (D0444/21)
E) PSR WITHDRAWN FOR MAINT

CNS B) 2104290000 C) 2107292359 (D0367/21)
E) ATS UNDER KUCHING AREA CTL (SEC 2) WITH RDO FREQ (S) 132.35 MHZ
(PRI) AND 133.95 MHZ (SRY) TEMP WITHDRAWN

OTH B) 2104290345 C) PERM (D0377/21)
E) NEW RADAR TOWER ERECTED 25M (82FT)AGL 45M (150FT)AMSL AT COORDS
012904N 1102113E

OTH B) 2104290000 C) 2107282359 (D0371/21)
E) CONST CRANE HGT 265FT AMSL AT COORD 013158N 1102044E(BRG 005 DEG
5.5KM FM WBGG ARP 012907N 1102042E)
RMK:(1) CONST CRANE PAINTED Y AND LGTD
(2) TWO BLDG HGT 240FT AMSL (72.4M AMSL) UNDER CONST.

OTH B) 2104240422 C) 2107242359 EST (D0355/21)
E) CONST CRANE PSN 012736N 1102543E ERECTED 207FT AMSL. 119DEG
7650M FM THR RWY25. LIGHTED.

WMKK (KUALA LUMPUR/SEPANG INTL)

AGA B) 2106130200 C) 2106130900 (A2058/21)
E) PORTION OF TWY Y BTN Y1 AND Y3 CLSD

AGA B) 2106041535 C) 2106130900 (A1977/21)
E) TXL U2 FM ACFT STAND J15 TIL TWY Q CLSD

AGA B) 2106020607 C) 2106152200 (A1960/21)
E) LEAD OUT LGT INT C5 U/S

AGA B) 2106020010 C) 2106152200 (A1958/21)
E) TWY EDGE LGT U5 AND U6 U/S.

AGA B) 2106020000 C) 2106302359 (A1858/21)
D) 0000-2359 ON 2-6 10-13 16-20 23-27 AND 30
E) RWY 15/33 CLSD.

AGA B) 2106010000 C) 2106291100 (A1931/21)
D) JUNE 1 9 15 22 29 0000-1100
E) RWY 14R/32L CLSD.

AGA B) 2105312200 C) 2106152200 (A1932/21)
E) STOPBAR LGT FM INT C1 TIL INT C11 WITHDRAWN FOR MAINT.

AGA B) 2105312200 C) 2106152200 (A1941/21)
E) TWY EDGE LGT P,Q AND INT P1 TIL P4 U/S

AGA B) 2105312200 C) 2106152200 (A1938/21)
E) STOPBAR LGT INT P1 TIL P4 U/S

AGA B) 2105312200 C) 2106152200 (A1940/21)
E) STOPBAR LGT AND LEAD IN LGT INT Y1 TIL Y9 U/S

AGA B) 2105312200 C) 2106152200 (A1939/21)
E) TWY Y CL LGT FM INT Y1 TIL Y4 U/S

AGA B) 2105312200 C) 2106152200 (A1942/21)
E) TWY CL U3,U4,U8 AND U9 IN ALTN

AGA B) 2105311100 C) 2106292200 (A1929/21)
D) MAY 31,JUNE 1 8 9 14 15 21 22 28 29 1100-2200
E) RWY 15/33 CLSD.

AGA	B) 2105310200 E) TWY U4 FM ACFT STAND Q15 TIL Q17 CLSD	C) 2106300900	(A1913/21)
AGA	B) 2105310000 D) 0000-2359 31 MAY 6-8 13-14 20-21 27-28 JUNE E) RWY 14L/32R CLSD	C) 2106282359	(A1860/21)
AGA	B) 2105280200 E) PORTION OF TWY U5 FM ACFT STAND P06 TILL P08 CLSD.	C) 2106170200	(A1839/21)
AGA	B) 2105250800 E) TWY M BTN INT E2 AND E3 CLSD RMK: INT E2 AND E3 AVBL FOR ACFT TAX	C) 2107310900	(A1815/21)
AGA	B) 2105171034 E) ACFT STAND F5 IS AVBL FOR ACFT TYPE B748	C) PERM	(A1716/21)
AGA	B) 2105151535 E) PAPI RIGHT HAND SIDE RWY 32L U/S.	C) 2106292200	(A1708/21)
AGA	B) 2104302200 E) APCH LGT AND RWY LGT RWY 14L/32R AND RWY 14R/32L DOWNGRADE TO CAT 1	C) 2107312200	(A1608/21)
AGA	B) 2103310814 E) TWY B BTN INT B14 TIL INT N2 CLSD. RMK:INT N1 AND N2 NOT AVBL FOR ACFT TAX.	C) 2106302359	(A1185/21)
CNS	B) 2106131500 E) DVOR/DME VKL 116.100 MHZ CH108X WITHDRAWN FOR MAINT .	C) 2106132000	(A2048/21)
CNS	B) 2104081334 E) LUMPUR ARR FREQ 124.2MHZ U/S AND CHG TO 125.05MHZ	C) 2106182359	(A1279/21)
ATM	B) 2106110758 E) STAR RNAV(GNSS) RWY14L,14R,15 WMKK-AIP SUP 20/2021 REGARDING REVISED OF INSTR FLT PROC FOR RWY14L, 14R, 15, 32R, 32L AND 33 DATED 08 JUNE 2021 APPENDIX C-4. AMD WPT RIKMI ALT TO READ AS 10000FT OR ABOVE. REST NC.	C) PERM	(A2053/21)
ATM	B) 2105280806 E) SID RWY 14L WMKK AIP PAGE AD2-WMKK-6-3 AMD PIBOS DIST FM VKL DVOR/DME TO READ AS 41.9 DME. REST NC.	C) PERM	(A1887/21)
OTH	B) 2106020231 E) CNL AIP SUP 16/2021 DATED 08 APR 2021 REGARDING ESTABLISHMENT OF NEW AIRWAYS CLEARANCE DELIVERY (ACD) FREQ IN KLIA AT KUALA LUMPUR INTERNATIONAL AIRPORT. NEW AIP SUP WILL BE ISSUED WITH THE NEW EFF DATE.	C) PERM	(A1957/21)
OTH	B) 2106020143 E) CNL AIP SUP 03/2021 DATED 08 APR 2021 REGARDING REVISED OF INSTR FLT PROC FOR RWY 14L, 14R, 15, 32R, 32L AND 33 AT KUALA LUMPUR INTERNATIONAL AIRPORT. NEW AIP SUP WILL BE ISSUED WITH THE NEW EFF DATE. F) - G) -	C) PERM	(A1948/21)
OTH	B) 2105010200 E) CTL TOWER WEST OBST LGT U/S	C) 2107312359	(A1613/21)
OTH	B) 2105010200 E) REF TO AIP MALAYSIA AD2-WMKK-1-29 PARA 2.22.7-VIS COND IS TEMPO SUSPENDED	C) 2107312359	(A1614/21)

WMKJ (JOHOR BAHRU/SENAI INTL)

AGA B) 2105280000 C) 2106301900 (A1854/21)
E) AD OPS HR CHANGED TO 0000-1100

AGA B) 2104130630 C) 2107300600 (A1339/21)
E) PORTION OF APRON C CLOSED DUE WIP.COORD AS FOLLOWS:-
A (013806.6N 1034003.1E)
B (013801.9N 1034003.6E)
C (013801.5N 1034003.6E)
D (013806.3N 1034002.0E)
RMK: COLOUR HOARDING AND BARRICADE EQUIP WIT UNSERVICEABILITY LGT
PLACED TO DENOTE CLOSURE AREA

AGA B) 2104130607 C) 2107300600 (A1337/21)
E) PARTIAL GA APRON CLSD COORD AS FOLLOWS:
A (013829.90N 1033943.82E)
B (013831.76N 1033943.24E)
C (013832.21N 1033944.52E)
D (013830.40N 1033945.16E)
RMK: THE PILOT IN COMMAND SHALL BE RESPONSIBLE FOR THE SAFETY
ACFT ON THE APN DURING ENG START UP AND TAX

CNS B) 2106090612 C) 2109091330 (A2023/21)
E) RADAR SVC OPS HR CHANGED 0000-0900

CNS B) 2106010000 C) 2108302300 (A1905/21)
E) NDB JR FREQ 245KHZ U/S

OTH B) 2104200129 C) 2107300600 (A1441/21)
E) CRANE ERECTED WI 50M RADIUS OF 013803.7N 1034002.6E (MAIN
TERMINAL).
CRANE HGT:100FT AGL
RMK:CRANE MARKED WITH CHEQUERED FLAG AND LGTD.
PILOT TO EXER CTN WHILE MANOUVERING.

WAAA (MAKASSAR/SULTAN HASANUDDIN)

AGA B) 2105311147 C) 2106302359 (A1359/21)
E) TO AVOID THE SPREAD OF COVID-19, AD HOURS OF SERVICE CHANGED TO
2000-1300
RMK: - EXC FOR EMERGENCY FLT, TECH LDG, MILITARY FLT, REPATRIATION
FLT,HUMANITARIAN FLT, THE UNITED NATIONS MISSION AND GLOBAL SUPPLY
CHAIN SUSTAINABILITY.
- AVBL FOR ENROUTE ALTN AD

AGA B) 2105310800 C) 2107311559 (A1341/21)
E) PARKING STAND B1, B2, B3, B4 AND B5 CLSD DUE TO WIP

AGA B) 2104152300 C) 2107152359 (A0991/21)
E) SEQUENCE FLASHING LGT RWY 13 U/S DUE TO MAINT

WIHH (JAKARTA/HALIM PERDANAKUSUMA)

AGA B) 2106071555 C) 2106141700 (A1412/21)
E) TWY C CLSD DUE TO WIP

AGA B) 2103301513 C) 2106300559 (A0834/21)
E) RWY 06/24 LIMITED TO ACFT WITH MAX MTOW 80.000KG

WADD (BALI INTL)

AGA B) 2105032259 C) 2108022300 (A1169/21)
E) ALL TFC CTN ADZ DUE TO WIP PSN AS FLW:
A.084457.10S1150853.91E
B.084457.22S1150850.96E
C.084457.33S1150848.02E
D.084457.45S1150845.11E
E.084457.54S1150843.14E
F.084457.65S1150840.20E

G.084457.77S1150837.25E
H.084457.89S1150834.31E
I.084458.00S1150831.36E

AGA **B)** 2104180400 **C)** 2107182359 (A1008/21)
E) TO AVOID THE SPREAD OF COVID-19, OPERATION HOURS OF AD CHANGED TO

2300-1200
RMK : EXC FOR EMERGENCY FLT, TECHNICAL STOP, CARGO FLT, REPATRIATION,
MEDIVAC FLT, HUMANITARIAN FLT, UNITED NATIONS MISSION, AND GLOBAL
SUPPLY CHAIN SUSTAINABILITY

OTH **B)** 2105200612 **C)** 2106250000 (A1260/21)
E) OBSTACLE ANEMOMETER AWOS MIDDLE ERRECTED ELEV 13FT HGT 32.8FT PSN ON
COOR 084457.48S1151024.24E

WARR (SURABAYA/JUANDA)

AGA **B)** 2106081300 **C)** 2106302159 (A1422/21)
D) JUN 08 1300-2259 09-30 1300-2159
E) AD CLSD DUE TO WIP EXC FOR MEDIVAC HELICOPTER AND MIL FLT

AGA **B)** 2104150516 **C)** 2107150459 (A0986/21)
E) PARKING STAND H4 CLSD DUE TO WIP

AGA **B)** 2104150500 **C)** 2107150459 (A0985/21)
E) TWY FM N3N DCT TO PARKING STAND H4 CLSD DUE TO WIP
RMK : HEAVY EQUIPMENT PRESENT, HEIGHT ABOVE GROUND MAX 32.8 FT

AGA **B)** 2104150300 **C)** 2107150259 (A0982/21)
E) RWY HOLDING POSITION TWY N1 REPLACE TO TWY NP2 BTN TWY N2 AND TWY
N9 DUE TO BUMPY SURFACE
REMARK : ALL TFC SUBJ ATC CLR

AGA **B)** 2104080043 **C)** 2107041700 (A0915/21)
E) PRKG STAND A5, A5T, A7, A8, A9 CLSD DUE TO WIP
RMK : TAXILANE BEHIND PRKG STAND A7 AND A8 CLSD

ATM **B)** 2105312300 **C)** 2108311059 (A1351/21)
E) TO AVOID THE SPREAD OF COVID 19
SERVICE DESIGNATION : SURABAYA DIRECTOR
CALL SIGN : SURABAYA DIRECTOR
FREQ : 123.2MHZ
HOURS OF SERVICE 2300-1059

ATM **B)** 2105312300 **C)** 2108311059 (A1350/21)
E) TO AVOID THE SPREAD OF COVID 19
SERVICE DESIGNATION : APP (SURABAYA EAST TMA AND SURABAYA WEST TMA
(COMBINE SECTOR)
CALL SIGN : SURABAYA WEST CONTROL
FREQ : 125.1MHZ
HOURS OF SERVICE : 2300-1059)

ATM **B)** 2105312300 **C)** 2108311059 (A1358/21)
E) TO AVOID THE SPREAD OF COVID 19
SERVICE DESIGNATION : CLEARANCE DELIVERY, SMC (COMBINE SECTOR)
CALL SIGN : JUANDA GROUND
FREQ : 118.9MHZ
HOURS OF SERVICE : 2300-1059

ATM **B)** 2105311100 **C)** 2108312259 (A1353/21)
E) TO AVOID THE SPREAD OF COVID 19
SERVICE DESIGNATION : APP (SURABAYA EAST TMA, SURABAYA DIRECTOR AND
SURABAYA WEST TMA (COMBINE SECTOR)
CALL SIGN : SURABAYA WEST CONTROL
FREQ : 125.1MHZ
HOURS OF SERVICE : 1100-2259)

